

Model #1071 - Picture No Sash Energy Ratings

Glass Options	Glazing	Gas	Grille	Energy Star Zone(s)		ER	SHGC	VT	CR	U-Value (Metric)	U-Value Imp (Imperial)	R-Value (Imperial)
				Canada	US							
366 (2)	Double			None	N,NC,SC,S	17	0.25	0.58	59	1.71	0.30	3.33
366 (2)	Double		Y	None	N,NC,SC,S	15	0.22	0.52	59	1.71	0.30	3.33
366 (2)	Double	Arg/Kry		1 2	N,NC,SC,S	23	0.24	0.58	63	1.42	0.25	4.00
366 (2)	Double	Arg/Kry	Y	1 2	N,NC,SC,S	22	0.22	0.52	63	1.42	0.25	4.00
366 (2)	Double	Argon		1 2	N,NC,SC,S	23	0.24	0.58	63	1.42	0.25	4.00
366 (2)	Double	Argon	Y	1 2	N,NC,SC,S	22	0.22	0.52	63	1.42	0.25	4.00
Bronze/LOF (3)	Double			1	None	27	0.51	0.51	56	1.93	0.34	2.94
Bronze/LOF (3)	Double		Y	None	None	24	0.46	0.46	56	1.93	0.34	2.94
Bronze-LOF (3)	Double	Arg/Kry		1 2	N	32	0.51	0.51	59	1.71	0.30	3.33
Bronze-LOF (3)	Double	Arg/Kry	Y	1 2	N	29	0.46	0.46	59	1.71	0.30	3.33
Bronze-LOF (3)	Double	Argon		1 2	N	32	0.51	0.51	59	1.71	0.30	3.33
Bronze-LOF (3)	Double	Argon	Y	1 2	N	29	0.46	0.46	59	1.71	0.30	3.33
Grey-LOF (3)	Double			1	None	26	0.49	0.46	56	1.93	0.34	2.94
Grey-LOF (3)	Double		Y	None	None	23	0.44	0.41	56	1.93	0.34	2.94
Grey-LOF (3)	Double	Arg/Kry		1 2	N	31	0.49	0.46	59	1.71	0.30	3.33
Grey-LOF (3)	Double	Arg/Kry	Y	1	N	28	0.44	0.41	59	1.71	0.30	3.33
Grey-LOF (3)	Double	Argon		1 2	N	31	0.49	0.46	59	1.71	0.30	3.33
Grey-LOF (3)	Double	Argon	Y	1	N	28	0.44	0.41	59	1.71	0.30	3.33
LOF (3)	Double			1 2 3	None	38	0.69	0.68	56	1.93	0.34	2.94
LOF (3)	Double		Y	1 2 3	None	34	0.62	0.61	56	1.93	0.34	2.94
LOF (3)	Double	Arg/Kry		1 2 3	N	43	0.69	0.68	59	1.71	0.30	3.33
LOF (3)	Double	Arg/Kry	Y	1 2 3	N	39	0.62	0.61	59	1.71	0.30	3.33
LOF (3)	Double	Argon		1 2 3	N	43	0.69	0.68	59	1.71	0.30	3.33
LOF (3)	Double	Argon	Y	1 2 3	N	39	0.62	0.61	59	1.71	0.30	3.33
LOF-LOF (2&3)	Double	Arg/Kry		1 2 3	N	44	0.58	0.63	46	1.36	0.24	4.17
LOF-LOF (2&3)	Double	Arg/Kry	Y	1 2 3	N	40	0.52	0.57	46	1.36	0.24	4.17
LOF-LOF (2&3)	Double	Argon		1 2 3	N	44	0.58	0.63	46	1.36	0.24	4.17
LOF-LOF (2&3)	Double	Argon	Y	1 2 3	N	40	0.52	0.57	46	1.36	0.24	4.17
366 (2)	Triple	Arg/Kry		1 2 3	N,NC,SC,S	27	0.23	0.53	70	1.19	0.21	4.76
366 (2)	Triple	Arg/Kry	Y	1 2	N,NC,SC,S	25	0.21	0.48	70	1.25	0.22	4.55
366 (2)	Triple	Argon		1 2 3	N,NC,SC,S	27	0.23	0.53	69	1.19	0.21	4.76
366 (2)	Triple	Argon	Y	1 2	N,NC,SC,S	23	0.21	0.48	69	1.31	0.23	4.35
366 (2)	Triple	Krypton		1 2 3	N,NC,SC,S	30	0.22	0.53	73	1.02	0.18	5.56
366 (2)	Triple	Krypton	Y	1 2 3	N,NC,SC,S	27	0.20	0.48	73	1.14	0.20	5.00
Bronze	Triple	Arg/Kry		1 2	N	32	0.51	0.51	61	1.71	0.30	3.33
Bronze	Triple	Argon		1 2	N	33	0.52	0.51	61	1.71	0.30	3.33
Bronze	Triple	Krypton		1 2 3	N	35	0.51	0.51	63	1.59	0.28	3.57
Bronze-LOF (5)	Triple	Arg/Kry		1 2 3	N	38	0.47	0.47	67	1.31	0.23	4.35
Bronze-LOF (5)	Triple	Arg/Kry	Y	1 2 3	N	36	0.43	0.42	67	1.31	0.23	4.35
Bronze-LOF (5)	Triple	Argon		1 2 3	N	37	0.47	0.47	67	1.36	0.24	4.17
Bronze-LOF (5)	Triple	Argon	Y	1 2 3	N	35	0.43	0.42	67	1.36	0.24	4.17
Bronze-LOF (5)	Triple	Krypton		1 2 3	N	42	0.47	0.47	70	1.14	0.20	5.00
Bronze-LOF (5)	Triple	Krypton	Y	1 2 3	N	39	0.43	0.42	70	1.19	0.21	4.76

Model #1071 - Picture No Sash Energy Ratings

Glass Options	Glazing	Gas	Grille	Energy Star Zone(s)		ER	SHGC	VT	CR	U-Value (Metric)	U-Value Imp (Imperial)	R-Value (Imperial)
				Canada	US							
Bronze-LOF-LOF (3&5)	Triple	Arg/Kry		1 2 3	N	42	0.44	0.44	72	1.08	0.19	5.26
Bronze-LOF-LOF (3&5)	Triple	Arg/Kry	Y	1 2 3	N,NC	38	0.39	0.39	72	1.14	0.20	5.00
Bronze-LOF-LOF (3&5)	Triple	Argon		1 2 3	N	40	0.44	0.44	71	1.14	0.20	5.00
Bronze-LOF-LOF (3&5)	Triple	Argon	Y	1 2 3	N,NC	38	0.39	0.39	71	1.14	0.20	5.00
Bronze-LOF-LOF (3&5)	Triple	Krypton		1 2 3	N	45	0.44	0.44	76	0.91	0.16	6.25
Bronze-LOF-LOF (3&5)	Triple	Krypton	Y	1 2 3	N,NC	41	0.39	0.39	76	0.97	0.17	5.88
Grey	Triple	Arg/Kry		1 2	N	31	0.49	0.46	61	1.71	0.30	3.33
Grey	Triple	Argon		1 2	N	31	0.49	0.46	61	1.71	0.30	3.33
Grey	Triple	Krypton		1 2	N	33	0.49	0.46	63	1.59	0.28	3.57
Grey-LOF (5)	Triple	Arg/Kry		1 2 3	N	37	0.45	0.43	67	1.31	0.23	4.35
Grey-LOF (5)	Triple	Arg/Kry	Y	1 2 3	N	35	0.41	0.38	67	1.31	0.23	4.35
Grey-LOF (5)	Triple	Argon		1 2 3	N	36	0.45	0.43	67	1.36	0.24	4.17
Grey-LOF (5)	Triple	Argon	Y	1 2 3	N	34	0.41	0.38	67	1.36	0.24	4.17
Grey-LOF (5)	Triple	Krypton		1 2 3	N	41	0.45	0.43	70	1.14	0.20	5.00
Grey-LOF (5)	Triple	Krypton	Y	1 2 3	N	38	0.41	0.38	70	1.19	0.21	4.76
Grey-LOF-LOF (3&5)	Triple	Arg/Kry		1 2 3	N	40	0.41	0.4	72	1.08	0.19	5.26
Grey-LOF-LOF (3&5)	Triple	Arg/Kry	Y	1 2 3	N,NC	36	0.37	0.36	72	1.14	0.20	5.00
Grey-LOF-LOF (3&5)	Triple	Argon		1 2 3	N	39	0.41	0.4	71	1.14	0.20	5.00
Grey-LOF-LOF (3&5)	Triple	Argon	Y	1 2 3	N,NC	36	0.37	0.36	71	1.14	0.20	5.00
Grey-LOF-LOF (3&5)	Triple	Krypton		1 2 3	N	44	0.41	0.4	76	0.91	0.16	6.25
Grey-LOF-LOF (3&5)	Triple	Krypton	Y	1 2 3	N,NC	40	0.37	0.36	76	0.97	0.17	5.88
LOF (5)	Triple	Arg/Kry		1 2 3	N	48	0.64	0.63	67	1.31	0.23	4.35
LOF (5)	Triple	Arg/Kry	Y	1 2 3	N	45	0.58	0.57	67	1.31	0.23	4.35
LOF (5)	Triple	Argon		1 2 3	N	47	0.64	0.63	67	1.36	0.24	4.17
LOF (5)	Triple	Argon	Y	1 2 3	N	44	0.58	0.57	67	1.36	0.24	4.17
LOF (5)	Triple	Krypton		1 2 3	N	52	0.64	0.63	70	1.14	0.20	5.00
LOF (5)	Triple	Krypton	Y	1 2 3	N	47	0.58	0.57	70	1.19	0.21	4.76
LOF-LOF (3&5)	Triple	Arg/Kry		1 2 3	N	50	0.59	0.59	72	1.08	0.19	5.26
LOF-LOF (3&5)	Triple	Arg/Kry	Y	1 2 3	N	46	0.53	0.53	72	1.14	0.20	5.00
LOF-LOF (3&5)	Triple	Argon		1 2 3	N	49	0.59	0.59	71	1.14	0.20	5.00
LOF-LOF (3&5)	Triple	Argon	Y	1 2 3	N	46	0.53	0.53	71	1.14	0.20	5.00
LOF-LOF (3&5)	Triple	Krypton		1 2 3	N	54	0.59	0.59	76	0.91	0.16	6.25
LOF-LOF (3&5)	Triple	Krypton	Y	1 2 3	N	50	0.54	0.53	76	0.97	0.17	5.88

(SHGC) Solar Heat Gain Coefficient: The higher the SHGC, the more solar heat the window allows.

(VT) Visible Transmittance: The higher the VT, the more daylight is allowed in.

(CR) Condensation Resistance: The higher the CR, the less likely condensations is to occur.

Model #1072 - Picture With Sash Energy Ratings

Glass Options	Glazing	Gas	Grille	Energy Star Zone(s)		ER	SHGC	VT	CR	U-Value (Metric)	U-Value Imp (Imperial)	R-Value (Imperial)
				Canada	US							
366 (2)	Double			None	NC,SC,S	17	0.22	0.51	58	1.65	0.29	3.45
366 (2)	Double		Y	None	NC,SC,S	15	0.20	0.45	58	1.65	0.29	3.45
366 (2)	Double	Arg/Kry		1	N,NC,SC,S	20	0.22	0.51	63	1.48	0.26	3.85
366 (2)	Double	Arg/Kry	Y	1	N,NC,SC,S	19	0.20	0.45	63	1.48	0.26	3.85
366 (2)	Double	Argon		1	N,NC,SC,S	20	0.22	0.51	62	1.48	0.26	3.85
366 (2)	Double	Argon	Y	1	N,NC,SC,S	19	0.20	0.45	62	1.48	0.26	3.85
Bronze/LOF (3)	Double			None	None	26	0.46	0.45	56	1.88	0.33	3.03
Bronze/LOF (3)	Double		Y	None	None	23	0.41	0.4	56	1.88	0.33	3.03
Bronze-LOF (3)	Double	Arg/Kry		1 2	N	29	0.45	0.45	59	1.71	0.30	3.33
Bronze-LOF (3)	Double	Arg/Kry	Y	1	None	26	0.41	0.4	59	1.71	0.30	3.33
Bronze-LOF (3)	Double	Argon		1 2	N	29	0.45	0.45	59	1.71	0.30	3.33
Bronze-LOF (3)	Double	Argon	Y	1	None	26	0.41	0.4	59	1.71	0.30	3.33
Grey-LOF (3)	Double			None	None	24	0.43	0.41	56	1.88	0.33	3.03
Grey-LOF (3)	Double		Y	None	None	22	0.39	0.36	56	1.88	0.33	3.03
Grey-LOF (3)	Double	Arg/Kry		1	N	28	0.43	0.41	59	1.71	0.30	3.33
Grey-LOF (3)	Double	Arg/Kry	Y	1	NC	25	0.39	0.36	59	1.71	0.30	3.33
Grey-LOF (3)	Double	Argon		1	None	28	0.43	0.41	59	1.71	0.30	3.33
Grey-LOF (3)	Double	Argon	Y	1	N,NC	25	0.39	0.36	59	1.71	0.30	3.33
LOF (3)	Double			1 2 3	None	34	0.61	0.6	56	1.88	0.33	3.03
LOF (3)	Double		Y	1 2	None	30	0.54	0.54	56	1.88	0.33	3.03
LOF (3)	Double	Arg/Kry		1 2 3	N	38	0.61	0.6	59	1.71	0.30	3.33
LOF (3)	Double	Arg/Kry	Y	1 2 3	N	35	0.55	0.54	59	1.71	0.30	3.33
LOF (3)	Double	Argon		1 2 3	N	38	0.61	0.6	59	1.71	0.30	3.33
LOF (3)	Double	Argon	Y	1 2 3	N	35	0.55	0.54	59	1.71	0.30	3.33
LOF-LOF (2&3)	Double	Arg/Kry		1 2 3	N	38	0.51	0.56	46	1.42	0.25	4.00
LOF-LOF (2&3)	Double	Arg/Kry	Y	1 2 3	N	35	0.46	0.5	46	1.42	0.25	4.00
LOF-LOF (2&3)	Double	Argon		1 2 3	N	38	0.51	0.56	46	1.42	0.25	4.00
LOF-LOF (2&3)	Double	Argon	Y	1 2 3	N	35	0.46	0.5	46	1.42	0.25	4.00
366 (2)	Triple	Arg/Kry		1 2 3	N,NC,SC,S	25	0.20	0.47	69	1.19	0.21	4.76
366 (2)	Triple	Arg/Kry	Y	1 2	N,NC,SC,S	22	0.18	0.42	69	1.31	0.23	4.35
366 (2)	Triple	Argon		1 2	N,NC,SC,S	24	0.20	0.47	69	1.25	0.22	4.55
366 (2)	Triple	Argon	Y	1 2	N,NC,SC,S	22	0.18	0.42	69	1.31	0.23	4.35
366 (2)	Triple	Krypton		1 2 3	N,NC,SC,S	28	0.20	0.47	72	1.08	0.19	5.26
366 (2)	Triple	Krypton	Y	1 2 3	N,NC,SC,S	24	0.18	0.42	72	1.19	0.21	4.76
Bronze	Triple	Arg/Kry		1 2	N	30	0.46	0.45	61	1.65	0.29	3.45
Bronze	Triple	Argon		1 2	N	29	0.46	0.45	61	1.71	0.30	3.33
Bronze	Triple	Krypton		1 2	N	32	0.46	0.45	63	1.59	0.28	3.57
Bronze-LOF (5)	Triple	Arg/Kry		1 2 3	N	36	0.42	0.42	67	1.31	0.23	4.35
Bronze-LOF (5)	Triple	Arg/Kry	Y	1 2	N,NC	32	0.38	0.37	67	1.36	0.24	4.17
Bronze-LOF (5)	Triple	Argon		1 2 3	N	34	0.42	0.42	67	1.36	0.24	4.17
Bronze-LOF (5)	Triple	Argon	Y	1 2	N,NC	32	0.38	0.37	67	1.36	0.24	4.17
Bronze-LOF (5)	Triple	Krypton		1 2 3	N	38	0.42	0.42	70	1.19	0.21	4.76
Bronze-LOF (5)	Triple	Krypton	Y	1 2 3	N,NC	36	0.38	0.37	70	1.19	0.21	4.76

Model #1072 - Picture With Sash Energy Ratings

Glass Options	Glazing	Gas	Grille	Energy Star Zone(s)		ER	SHGC	VT	CR	U-Value (Metric)	U-Value Imp (Imperial)	R-Value (Imperial)
				Canada	US							
Bronze-LOF-LOF (3&5)	Triple	Arg/Kry		1 2 3	N,NC	38	0.39	0.39	72	1.14	0.20	5.00
Bronze-LOF-LOF (3&5)	Triple	Arg/Kry	Y	1 2 3	N,NC	35	0.35	0.34	72	1.14	0.20	5.00
Bronze-LOF-LOF (3&5)	Triple	Argon		1 2 3	N,NC	38	0.39	0.39	71	1.14	0.20	5.00
Bronze-LOF-LOF (3&5)	Triple	Argon	Y	1 2 3	N,NC	34	0.35	0.34	71	1.19	0.21	4.76
Bronze-LOF-LOF (3&5)	Triple	Krypton		1 2 3	N,NC	41	0.39	0.39	75	0.97	0.17	5.88
Bronze-LOF-LOF (3&5)	Triple	Krypton	Y	1 2 3	N,NC	38	0.35	0.34	75	1.02	0.18	5.56
Grey	Triple	Arg/Kry		1 2	N	29	0.44	0.41	61	1.65	0.29	3.45
Grey	Triple	Argon		1	N	28	0.44	0.41	61	1.71	0.30	3.33
Grey	Triple	Krypton		1 2	N	30	0.43	0.41	63	1.59	0.28	3.57
Grey-LOF (5)	Triple	Arg/Kry		1 2 3	N,NC	34	0.40	0.38	67	1.31	0.23	4.35
Grey-LOF (5)	Triple	Arg/Kry	Y	1 2	N,NC	31	0.36	0.34	67	1.36	0.24	4.17
Grey-LOF (5)	Triple	Argon		1 2	N,NC	33	0.40	0.38	67	1.36	0.24	4.17
Grey-LOF (5)	Triple	Argon	Y	1 2	N,NC	31	0.36	0.34	67	1.36	0.24	4.17
Grey-LOF (5)	Triple	Krypton		1 2 3	N,NC	37	0.40	0.38	70	1.19	0.21	4.76
Grey-LOF (5)	Triple	Krypton	Y	1 2 3	N,NC	35	0.36	0.34	70	1.19	0.21	4.76
Grey-LOF-LOF (3&5)	Triple	Arg/Kry		1 2 3	N,NC	36	0.37	0.35	72	1.14	0.20	5.00
Grey-LOF-LOF (3&5)	Triple	Arg/Kry	Y	1 2 3	N,NC	34	0.33	0.31	72	1.14	0.20	5.00
Grey-LOF-LOF (3&5)	Triple	Argon		1 2 3	N,NC	36	0.37	0.35	71	1.14	0.20	5.00
Grey-LOF-LOF (3&5)	Triple	Argon	Y	1 2 3	N,NC	33	0.33	0.31	71	1.19	0.21	4.76
Grey-LOF-LOF (3&5)	Triple	Krypton		1 2 3	N,NC	40	0.37	0.35	75	0.97	0.17	5.88
Grey-LOF-LOF (3&5)	Triple	Krypton	Y	1 2 3	N,NC	37	0.33	0.31	75	1.02	0.18	5.56
LOF (5)	Triple	Arg/Kry		1 2 3	N	44	0.57	0.56	67	1.31	0.23	4.35
LOF (5)	Triple	Arg/Kry	Y	1 2 3	N	40	0.51	0.5	67	1.36	0.24	4.17
LOF (5)	Triple	Argon		1 2 3	N	43	0.57	0.56	67	1.36	0.24	4.17
LOF (5)	Triple	Argon	Y	1 2 3	N	40	0.51	0.5	67	1.36	0.24	4.17
LOF (5)	Triple	Krypton		1 2 3	N	47	0.57	0.56	70	1.19	0.21	4.76
LOF (5)	Triple	Krypton	Y	1 2 3	N	43	0.51	0.5	70	1.19	0.21	4.76
LOF-LOF (3&5)	Triple	Arg/Kry		1 2 3	N	45	0.52	0.52	72	1.14	0.20	5.00
LOF-LOF (3&5)	Triple	Arg/Kry	Y	1 2 3	N	42	0.47	0.46	72	1.14	0.20	5.00
LOF-LOF (3&5)	Triple	Argon		1 2 3	N	45	0.52	0.52	71	1.14	0.20	5.00
LOF-LOF (3&5)	Triple	Argon	Y	1 2 3	N	41	0.47	0.46	71	1.19	0.21	4.76
LOF-LOF (3&5)	Triple	Krypton		1 2 3	N	49	0.53	0.52	75	0.97	0.17	5.88
LOF-LOF (3&5)	Triple	Krypton	Y	1 2 3	N	45	0.47	0.46	75	1.02	0.18	5.56

(SHGC) Solar Heat Gain Coefficient: The higher the SHGC, the more solar heat the window allows.

(VT) Visible Transmittance: The higher the VT, the more daylight is allowed in.

(CR) Condensation Resistance: The higher the CR, the less likely condensations is to occur.

Model #1377 - Picture Singles Frame Energy Ratings

Glass Options	Glazing	Gas	Grille	Energy Star Zone(s)		ER	SHGC	VT	CR	U-Value (Metric)	U-Value Imp (Imperial)	R-Value (Imperial)
				Canada	US							
366 (2)	Double			None	NC,SC,S	16	0.23	0.54	58	1.71	0.30	3.33
366 (2)	Double		Y	None	NC,SC,S	15	0.21	0.48	58	1.71	0.30	3.33
366 (2)	Double	Arg/Kry		1	N,NC,SC,S	21	0.23	0.54	63	1.48	0.26	3.85
366 (2)	Double	Arg/Kry	Y	1	N,NC,SC,S	20	0.21	0.48	63	1.48	0.26	3.85
366 (2)	Double	Argon		1	N,NC,SC,S	21	0.23	0.54	62	1.48	0.26	3.85
366 (2)	Double	Argon	Y	1	N,NC,SC,S	20	0.21	0.48	62	1.48	0.26	3.85
Bronze/LOF (3)	Double			1	None	25	0.48	0.47	55	1.93	0.34	2.94
Bronze/LOF (3)	Double		Y	None	None	23	0.43	0.42	55	1.93	0.34	2.94
Bronze-LOF (3)	Double	Arg/Kry		1 2	None	29	0.48	0.47	59	1.70	0.30	3.33
Bronze-LOF (3)	Double	Arg/Kry	Y	1	None	26	0.43	0.42	59	1.70	0.30	3.33
Bronze-LOF (3)	Double	Argon		1 2	None	29	0.48	0.47	59	1.70	0.30	3.33
Bronze-LOF (3)	Double	Argon	Y	1	None	26	0.43	0.42	59	1.70	0.30	3.33
Grey-LOF (3)	Double			None	None	24	0.46	0.43	55	1.93	0.34	2.94
Grey-LOF (3)	Double		Y	None	None	21	0.41	0.38	55	1.93	0.34	2.94
Grey-LOF (3)	Double	Arg/Kry		1	None	28	0.45	0.43	59	1.70	0.30	3.33
Grey-LOF (3)	Double	Arg/Kry	Y	1	None	25	0.41	0.38	59	1.70	0.30	3.33
Grey-LOF (3)	Double	Argon		1	None	28	0.46	0.43	59	1.70	0.30	3.33
Grey-LOF (3)	Double	Argon	Y	1	None	25	0.41	0.38	59	1.70	0.30	3.33
LOF (3)	Double			1 2 3	None	34	0.64	0.64	55	1.93	0.34	2.94
LOF (3)	Double		Y	1 2	None	30	0.58	0.57	55	1.93	0.34	2.94
LOF (3)	Double	Arg/Kry		1 2 3	None	38	0.64	0.64	59	1.70	0.30	3.33
LOF (3)	Double	Arg/Kry	Y	1 2 3	None	34	0.58	0.57	59	1.70	0.30	3.33
LOF (3)	Double	Argon		1 2 3	None	38	0.64	0.64	59	1.70	0.30	3.33
LOF (3)	Double	Argon	Y	1 2 3	None	34	0.58	0.59	59	1.70	0.30	3.33
LOF-LOF (2&3)	Double	Arg/Kry		1 2 3	N	40	0.55	0.59	61	1.59	0.28	3.57
LOF-LOF (2&3)	Double	Arg/Kry	Y	1 2 3	N	37	0.50	0.53	61	1.59	0.28	3.57
LOF-LOF (2&3)	Double	Argon		1 2 3	N	40	0.55	0.59	61	1.59	0.28	3.57
LOF-LOF (2&3)	Double	Argon	Y	1 2 3	N	37	0.50	0.53	61	1.59	0.28	3.57
366 (2)	Triple	Arg/Kry		1	N,NC,SC,S	20	0.22	0.50	64	1.48	0.26	3.85
366 (2)	Triple	Argon		1	N,NC,SC,S	19	0.22	0.50	64	1.54	0.27	3.70
366 (2)	Triple	Krypton		1 2	N,NC,SC,S	25	0.21	0.50	69	1.19	0.21	4.77
Bronze	Triple	Arg/Kry		1	None	25	0.48	0.47	57	1.87	0.33	3.03
Bronze	Triple	Argon		1	None	25	0.48	0.47	57	1.93	0.34	2.94
Bronze	Triple	Krypton		1 2	None	29	0.48	0.47	61	1.70	0.30	3.33
Bronze-LOF (5)	Triple	Arg/Kry		1 2	N	31	0.45	0.44	62	1.59	0.28	3.57
Bronze-LOF (5)	Triple	Argon		1 2	N	29	0.45	0.44	62	1.65	0.28	3.57
Bronze-LOF (5)	Triple	Krypton		1 2 3	N	36	0.44	0.44	67	1.36	0.24	4.17
Bronze-LOF-LOF (3&5)	Triple	Arg/Kry		1 2	N	33	0.41	0.41	66	1.36	0.24	4.17
Bronze-LOF-LOF (3&5)	Triple	Argon		1 2	N	33	0.41	0.41	66	1.42	0.25	4.00
Bronze-LOF-LOF (3&5)	Triple	Krypton		1 2 3	N	39	0.41	0.41	71	1.14	0.20	5.00
Grey	Triple	Arg/Kry		None	None	24	0.46	0.43	57	1.87	0.33	3.03
Grey	Triple	Argon		None	None	24	0.46	0.43	57	1.93	0.34	2.94
Grey	Triple	Krypton		1	None	27	0.46	0.43	61	1.70	0.30	3.33

Model #1377 - Picture Singles Frame Energy Ratings

Glass Options	Glazing	Gas	Grille	Energy Star Zone(s)		ER	SHGC	VT	CR	U-Value (Metric)	U-Value Imp (Imperial)	R-Value (Imperial)
				Canada	US							
Grey-LOF (5)	Triple	Arg/Kry		1 2	N	29	0.42	0.40	63	1.59	0.28	3.57
Grey-LOF (5)	Triple	Argon		1	N	28	0.42	0.40	62	1.59	0.28	3.57
Grey-LOF (5)	Triple	Krypton		1 2 3	N	34	0.42	0.40	67	1.36	0.24	4.17
Grey-LOF-LOF (3&5)	Triple	Arg/Kry		1 2	N,NC	31	0.39	0.37	66	1.36	0.24	4.17
Grey-LOF-LOF (3&5)	Triple	Argon		1 2	N,NC	31	0.39	0.37	66	1.42	0.25	4.00
Grey-LOF-LOF (3&5)	Triple	Krypton		1 2 3	N,NC	38	0.39	0.37	71	1.14	0.20	5.00
LOF (5)	Triple	Arg/Kry		1 2 3	N	38	0.55	0.59	61	1.59	0.28	3.57
LOF (5)	Triple	Argon		1 2 3	N	37	0.60	0.59	62	1.59	0.28	3.57
LOF (5)	Triple	Krypton		1 2 3	N	43	0.60	0.59	67	1.36	0.24	4.17
LOF-LOF (3&5)	Triple	Arg/Kry		1 2 3	N	40	0.55	0.55	66	1.36	0.24	4.17
LOF-LOF (3&5)	Triple	Argon		1 2 3	N	40	0.55	0.55	66	1.42	0.25	4.00
LOF-LOF (3&5)	Triple	Krypton		1 2 3	N	46	0.55	0.55	71	1.14	0.20	5.00

(SHGC) Solar Heat Gain Coefficient: The higher the SHGC, the more solar heat the window allows.

(VT) Visible Transmittance: The higher the VT, the more daylight is allowed in.

(CR) Condensation Resistance: The higher the CR, the less likely condensations is to occur.