

**Model #4371/5371(H) - Single Hung Tilt Energy Ratings**

Glass Options	Glazing	Gas	Grille	Energy Star Zone(s)		ER	SHGC	VT	CR	U-Value (Metric)	U-Value Imp (Imperial)	R-Value (Imperial)
				Canada	US							
366 (2)	Double			None	NC,SC,S	14	0.20	0.46	57	1.71	0.30	3.33
366 (2)	Double		Y	None	NC,SC,S	12	0.18	0.41	57	1.71	0.30	3.33
366 (2)	Double	Arg/Kry		1	N,NC,SC,S	17	0.20	0.46	58	1.54	0.27	3.70
366 (2)	Double	Arg/Kry	Y	1	N,NC,SC,S	16	0.18	0.41	58	1.54	0.27	3.70
366 (2)	Double	Argon		1	N,NC,SC,S	17	0.20	0.46	61	1.54	0.27	3.70
366 (2)	Double	Argon	Y	1	N,NC,SC,S	16	0.18	0.41	61	1.54	0.27	3.70
Bronze/LOF (3)	Double			None	None	23	0.42	0.42	54	1.88	0.33	3.03
Bronze/LOF (3)	Double		Y	None	None	20	0.38	0.37	54	1.88	0.33	3.03
Bronze-LOF (3)	Double	Arg/Kry		1	None	25	0.42	0.42	55	1.76	0.31	3.23
Bronze-LOF (3)	Double	Arg/Kry	Y	None	NC	23	0.38	0.37	55	1.76	0.31	3.23
Bronze-LOF (3)	Double	Argon		1	None	25	0.42	0.42	57	1.76	0.31	3.23
Bronze-LOF (3)	Double	Argon	Y	None	NC	23	0.38	0.37	57	1.76	0.31	3.23
Grey-LOF (3)	Double			None	None	21	0.40	0.38	54	1.88	0.33	3.03
Grey-LOF (3)	Double		Y	None	None	19	0.36	0.33	54	1.88	0.33	3.03
Grey-LOF (3)	Double	Arg/Kry		None	NC	24	0.40	0.38	55	1.76	0.31	3.23
Grey-LOF (3)	Double	Arg/Kry	Y	None	NC	21	0.36	0.33	55	1.76	0.31	3.23
Grey-LOF (3)	Double	Argon		None	NC	24	0.40	0.38	57	1.76	0.31	3.23
Grey-LOF (3)	Double	Argon	Y	None	NC	21	0.36	0.33	57	1.76	0.31	3.23
LOF (3)	Double			1	None	28	0.52	0.55	54	1.88	0.33	3.03
LOF (3)	Double		Y	1	None	25	0.47	0.49	54	1.88	0.33	3.03
LOF (3)	Double	Arg/Kry		1 2	None	31	0.53	0.55	55	1.76	0.31	3.23
LOF (3)	Double	Arg/Kry	Y	1	None	28	0.47	0.49	55	1.76	0.31	3.23
LOF (3)	Double	Argon		1 2	None	31	0.53	0.55	57	1.76	0.31	3.23
LOF (3)	Double	Argon	Y	1	None	28	0.47	0.49	57	1.76	0.31	3.23
LOF-LOF (2&3)	Double	Arg/Kry		1 2 3	N	35	0.48	0.52	46	1.48	0.26	3.85
LOF-LOF (2&3)	Double	Arg/Kry	Y	1 2	N	31	0.42	0.46	46	1.48	0.26	3.85
LOF-LOF (2&3)	Double	Argon		1 2 3	N	35	0.48	0.52	46	1.48	0.26	3.85
LOF-LOF (2&3)	Double	Argon	Y	1 2	N	31	0.42	0.46	46	1.48	0.26	3.85
366 (2)	Triple	Arg/Kry		1 2	N,NC,SC,S	21	0.18	0.42	68	1.31	0.23	4.35
366 (2)	Triple	Arg/Kry	Y	1	N,NC,SC,S	19	0.17	0.37	68	1.36	0.24	4.17
366 (2)	Triple	Argon		1 2	N,NC,SC,S	21	0.19	0.42	68	1.31	0.23	4.35
366 (2)	Triple	Argon	Y	1	N,NC,SC,S	19	0.17	0.37	68	1.36	0.24	4.17
366 (2)	Triple	Krypton		1 2 3	N,NC,SC,S	24	0.18	0.42	71	1.19	0.21	4.76
366 (2)	Triple	Krypton	Y	1 2	N,NC,SC,S	22	0.16	0.37	71	1.19	0.21	4.76
Bronze	Triple	Arg/Kry		1	NC	25	0.40	0.4	60	1.71	0.30	3.33
Bronze	Triple	Argon		None	NC	24	0.40	0.4	60	1.76	0.31	3.23
Bronze	Triple	Krypton		1	N,NC	26	0.40	0.4	62	1.65	0.29	3.45
Bronze-LOF (5)	Triple	Arg/Kry		1 2	N,NC	29	0.37	0.38	65	1.42	0.25	4.00
Bronze-LOF (5)	Triple	Arg/Kry	Y	1 2	N,NC	27	0.33	0.34	65	1.42	0.25	4.00
Bronze-LOF (5)	Triple	Argon		1 2	N,NC	29	0.37	0.38	65	1.42	0.25	4.00
Bronze-LOF (5)	Triple	Argon	Y	1 2	N,NC	27	0.33	0.34	65	1.42	0.25	4.00
Bronze-LOF (5)	Triple	Krypton		1 2	N,NC	32	0.37	0.38	68	1.31	0.23	4.35
Bronze-LOF (5)	Triple	Krypton	Y	1 2	N,NC	30	0.33	0.34	68	1.31	0.23	4.35

**Model #4371/5371(H) - Single Hung Tilt Energy Ratings**

Glass Options	Glazing	Gas	Grille	Energy Star Zone(s)		ER	SHGC	VT	CR	U-Value (Metric)	U-Value Imp (Imperial)	R-Value (Imperial)
				Canada	US							
Bronze-LOF-LOF (3&5)	Triple	Arg/Kry		1 2	N,NC	33	0.36	0.36	70	1.25	0.22	4.55
Bronze-LOF-LOF (3&5)	Triple	Arg/Kry	Y	1 2	N,NC	30	0.32	0.32	70	1.25	0.22	4.55
Bronze-LOF-LOF (3&5)	Triple	Argon		1 2	N,NC	33	0.36	0.36	69	1.25	0.22	4.55
Bronze-LOF-LOF (3&5)	Triple	Argon	Y	ABC	N,NC	30	0.32	0.32	69	1.25	0.22	4.55
Bronze-LOF-LOF (3&5)	Triple	Krypton		1 2 3	N,NC	36	0.36	0.36	72	1.08	0.19	5.26
Bronze-LOF-LOF (3&5)	Triple	Krypton	Y	1 2 3	N,NC	34	0.32	0.32	72	1.08	0.19	5.26
Grey	Triple	Arg/Kry		None	NC	24	0.38	0.37	60	1.71	0.30	3.33
Grey	Triple	Argon		None	NC	23	0.39	0.37	60	1.76	0.31	3.23
Grey	Triple	Krypton		1	N,NC	25	0.38	0.37	62	1.65	0.29	3.45
Grey-LOF (5)	Triple	Arg/Kry		1 2	N,NC	28	0.35	0.34	65	1.42	0.25	4.00
Grey-LOF (5)	Triple	Arg/Kry	Y	1 2	N,NC	27	0.32	0.3	65	1.42	0.25	4.00
Grey-LOF (5)	Triple	Argon		1 2	N,NC	28	0.35	0.34	65	1.42	0.25	4.00
Grey-LOF (5)	Triple	Argon	Y	1 2	N,NC	27	0.32	0.3	65	1.42	0.25	4.00
Grey-LOF (5)	Triple	Krypton		1 2	N,NC	31	0.35	0.34	68	1.31	0.23	4.35
Grey-LOF (5)	Triple	Krypton	Y	1 2	N,NC	28	0.31	0.3	68	1.31	0.23	4.35
Grey-LOF-LOF (3&5)	Triple	Arg/Kry		1 2	N,NC	31	0.34	0.32	70	1.25	0.22	4.55
Grey-LOF-LOF (3&5)	Triple	Arg/Kry	Y	1 2	N,NC,SC	29	0.30	0.29	70	1.25	0.22	4.55
Grey-LOF-LOF (3&5)	Triple	Argon		1 2	N,NC	31	0.34	0.32	69	1.25	0.22	4.55
Grey-LOF-LOF (3&5)	Triple	Argon	Y	1 2	N,NC,SC	29	0.30	0.29	69	1.25	0.22	4.55
Grey-LOF-LOF (3&5)	Triple	Krypton		1 2 3	N,NC	35	0.34	0.32	72	1.08	0.19	5.26
Grey-LOF-LOF (3&5)	Triple	Krypton	Y	1 2 3	N,NC,SC	33	0.30	0.29	72	1.08	0.19	5.26
LOF (5)	Triple	Arg/Kry		1 2 3	N	35	0.47	0.5	65	1.42	0.25	4.00
LOF (5)	Triple	Arg/Kry	Y	1 2	N	32	0.42	0.45	65	1.42	0.25	4.00
LOF (5)	Triple	Argon		1 2 3	N	35	0.47	0.5	65	1.42	0.25	4.00
LOF (5)	Triple	Argon	Y	1 2	N	32	0.42	0.45	65	1.42	0.25	4.00
LOF (5)	Triple	Krypton		1 2 3	N	38	0.47	0.5	68	1.31	0.23	4.35
LOF (5)	Triple	Krypton	Y	1 2 3	N	35	0.42	0.45	68	1.31	0.23	4.35
LOF-LOF (3&5)	Triple	Arg/Kry		1 2 3	N	38	0.45	0.47	70	1.25	0.22	4.55
LOF-LOF (3&5)	Triple	Arg/Kry	Y	1 2 3	N,NC	35	0.40	0.42	70	1.25	0.22	4.55
LOF-LOF (3&5)	Triple	Argon		1 2 3	N	38	0.45	0.47	69	1.25	0.22	4.55
LOF-LOF (3&5)	Triple	Argon	Y	1 2 3	N,NC	35	0.40	0.42	69	1.25	0.22	4.55
LOF-LOF (3&5)	Triple	Krypton		1 2 3	N	42	0.45	0.47	72	1.08	0.19	5.26
LOF-LOF (3&5)	Triple	Krypton	Y	1 2 3	N,NC	39	0.40	0.42	72	1.08	0.19	5.26

**(SHGC) Solar Heat Gain Coefficient:** The higher the SHGC, the more solar heat the window allows.

**(VT) Visible Transmittance:** The higher the VT, the more daylight is allowed in.

**(CR) Condensation Resistance:** The higher the CR, the less likely condensations is to occur.